

## Surplus Inventory

### HYDRAULIC POWER UNITS

Houston Hydraulic



Hydraulic power unit in frame with casters, 5 Gallon reservoir.  
7.5 HP 440 VAC 3 Phase electric motor.

Houston Hydraulic



Gasoline engine powered hydraulic power unit. Robin DB502M gasoline engine (21.5 HP, 3600 RPM), electric start, ~10 gallon reservoir, ~4 gallon gas tank

### HYDRAULIC PUMPS & MOTORS

#### Webster / Danfoss YC Hydraulic Pumps

The following YC hydraulic pumps are configurable from our parts inventory.

All pumps SAE A 2-bolt. Side ports: 1-1/16-12 SAE straight thread (#12) inlet, 7/8-14 SAE straight thread (#10) outlet unless noted.

#### Single Pumps

| Model Code     | C.I.D. | Shaft                | Rotation   | Notes  |
|----------------|--------|----------------------|------------|--|
| 043YC001701-LF | 0.43   | .75" str. key        | CCW / left |  |
| 043YC001701-RF | 0.43   | .75" str. key        | CW / right |  |
| 043YC001702-LF | 0.43   | .62" 9-tooth spline  | CCW / left |  |
| 043YC001702-RF | 0.43   | .62" 9-tooth spline  | CW / right |  |
| 050YC001701-LF | 0.50   | .75" str. key        | CCW / left |  |
| 050YC001701-RF | 0.50   | .75" str. key        | CW / right |  |
| 050YC001702-LF | 0.50   | .62" 9-tooth spline  | CCW / left |  |
| 050YC001702-RF | 0.50   | .62" 9-tooth spline  | CW / right |  |
| 058YC001701-LF | 0.58   | .75" str. key        | CCW / left |  |
| 058YC001701-RF | 0.58   | .75" str. key        | CW / right |  |
| 077YC001703-LF | 0.77   | .75" 11-tooth spline | CCW / left |  |
| 077YC001703-RF | 0.77   | .75" 11-tooth spline | CW / right |  |
| 125YC001702-LF | 1.25   | .62" 9-tooth spline  | CCW / left |  |
| 125YC001702-RF | 1.25   | .62" 9-tooth spline  | CW / right |  |
| 141YC001701-LF | 1.41   | .75" str. key        | CCW / left |  |
| 141YC001701-RF | 1.41   | .75" str. key        | CW / right |  |
| 141YC001702-LF | 1.41   | .62" 9-tooth spline  | CCW / left |  |
| 141YC001702-RF | 1.41   | .62" 9-tooth spline  | CW / right |  |
| 155YC000201-RF | 1.55   | .75" str. key        | CW / right | 1" NPTF, 1/2" NPTF (163Y1104)                        |
| 155YC011101-LF | 1.55   | .75" str. key        | CCW / left | 3 GPM Priority Flow Divider<br>#14 inlet, #10 outlet |

## Surplus Inventory

|                |      |                      |            |  |
|----------------|------|----------------------|------------|--|
| 155YC011102-LF | 1.55 | .62" 9-tooth spline  | CCW / left | 3 GPM Priority Flow Divider<br>#14 inlet, #10 outlet |
| 155YC011103-LF | 1.55 | .75" 11-tooth spline | CCW / left | 3 GPM Priority Flow Divider<br>#14 inlet, #10 outlet |
| 155YC011101-RF | 1.55 | .75" str. key        | CW / right | 3 GPM Priority Flow Divider<br>#14 inlet, #10 outlet |
| 155YC011102-RF | 1.55 | .62" 9-tooth spline  | CW / right | 3 GPM Priority Flow Divider<br>#14 inlet, #10 outlet |
| 155YC011103-RF | 1.55 | .75" 11-tooth spline | CW / right | 3 GPM Priority Flow Divider<br>#14 inlet, #10 outlet |
| 194YC001701-LF | 1.94 | .75" str. key        | CCW / left |  |
| 194YC001701-RF | 1.94 | .75" str. key        | CW / right |  |
| 194YC001701-LF | 1.94 | .75" str. key        | CCW / left |  |
| 194YC001701-RF | 1.94 | .75" str. key        | CW / right |  |

### Multi-Section Pumps

| Model Code                 | C.I.D.      | Shaft                | Rotation   | Notes                            |
|----------------------------|-------------|----------------------|------------|----------------------------------|
| 155YC002101/077YC011100-LM | 1.55 / 0.77 | .75" str. key        | CCW / left | <i>ports #14, #10; PFD 3 GPM</i> |
| 155YC001701/116YC001700-L  | 1.55 / 1.16 | .75" str. key        | CCW / left |                                  |
| 155YC001701/116YC001700-R  | 1.55 / 1.16 | .75" str. key        | CW / right |                                  |
| 155YC001702/116YC001700-L  | 1.55 / 1.16 | .62" 9-tooth spline  | CCW / left |                                  |
| 155YC001702/116YC001700-R  | 1.55 / 1.16 | .62" 9-tooth spline  | CW / right |                                  |
| 155YC001702/116YC001700-L  | 1.55 / 1.16 | .75" 11-tooth spline | CCW / left |                                  |
| 155YC001702/116YC001700-R  | 1.55 / 1.16 | .75" 11-tooth spline | CW / right |                                  |

### Webster / Danfoss YC Hydraulic Motors

The following YC hydraulic motors are configurable from our parts inventory.

All pumps SAE A 2-bolt. Side ports: 1-1/16-12 SAE straight thread (#12) inlet, 7/8-14 SAE straight thread (#10) outlet unless noted.

| Model Code         | C.I.D. | Shaft                | Rotation   | Notes |
|--------------------|--------|----------------------|------------|-------|
| M058YC001701-LF    | 0.58   | .75" str. key        | CCW / left |       |
| M058YC001701-RF    | 0.58   | .75" str. key        | CW / right |       |
| M077YC001703-LF    | 0.77   | .75" 11-tooth spline | CCW / left |       |
| M077YC001703-RF    | 0.77   | .75" 11-tooth spline | CW / right |       |
| M125YC001702-LF    | 1.25   | .62" 9-tooth spline  | CCW / left |       |
| M125YC001702-RF    | 1.25   | .62" 9-tooth spline  | CW / right |       |
| M141YC001701-LF    | 1.41   | .75" str. key        | CCW / left |       |
| M141YC001701-RF    | 1.41   | .75" str. key        | CW / right |       |
| M141YC001702-LF    | 1.41   | .62" 9-tooth spline  | CCW / left |       |
| M141YC001702-RF    | 1.41   | .62" 9-tooth spline  | CW / right |       |
| M194YC clutch pump | 1.94   | clutch pump shaft    | CW or CCW  |       |
| M194YC000201-LF    | 1.94   | .75" str. key        | CCW / left |       |
| M194YC000201-RF    | 1.94   | .75" str. key        | CW / right |       |
| M194YC001701-LF    | 1.94   | .75" str. key        | CCW / left |       |
| M194YC001701-RF    | 1.94   | .75" str. key        | CW / right |       |

## Surplus Inventory

### Webster / Danfoss KB Hydraulic Pumps

The following KB hydraulic pumps are configurable from our parts inventory. All pumps SAE B 2-bolt.

#### Single Pumps

| Model Code   | C.I.D. | Shaft                 | Rotation   | Notes                       |
|--------------|--------|-----------------------|------------|-----------------------------|
| 065KB1ASX-L  | 0.65   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| 065KB25ASX-L | 0.65   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| 065KB1ASX-R  | 0.65   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| 065KB25ASX-R | 0.65   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| 086KB1AX-L   | 0.86   | .864" 13-tooth spline | CCW / Left | side: #20 inlet, #16 outlet |
| 086KB1BX-L   | 0.86   | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| 086KB1ASX-L  | 0.86   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| 086KB25AX-L  | 0.86   | .864" 13-tooth spline | CCW / Left | rear: #20 inlet, #16 outlet |
| 086KB25BX-L  | 0.86   | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| 086KB25ASX-L | 0.86   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| 086KB1AX-R   | 0.86   | .864" 13-tooth spline | CW / Right | side: #20 inlet, #16 outlet |
| 086KB1BX-R   | 0.86   | .75" str. key         | CW / Right | side: #20 inlet, #16 outlet |
| 086KB1ASX-R  | 0.86   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| 086KB25AX-R  | 0.86   | .864" 13-tooth spline | CW / Right | rear: #20 inlet, #16 outlet |
| 086KB25BX-R  | 0.86   | .75" str. key         | CW / Right | rear: #20 inlet, #16 outlet |
| 086KB25ASX-R | 0.86   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| 194KB1ASX-L  | 1.94   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| 194KB25ASX-L | 1.94   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| 237KB1AX-L   | 2.37   | .864" 13-tooth spline | CCW / Left | side: #20 inlet, #16 outlet |
| 237KB25AX-L  | 2.37   | .864" 13-tooth spline | CCW / Left | rear: #20 inlet, #16 outlet |
| 237KB1BX-L   | 2.37   | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| 237KB25BX-L  | 2.37   | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| 237KB1ASX-L  | 2.37   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| 237KB25ASX-L | 2.37   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| 237KB1AX-R   | 2.37   | .864" 13-tooth spline | CW / Right | side: #20 inlet, #16 outlet |
| 237KB25AX-R  | 2.37   | .864" 13-tooth spline | CW / Right | rear: #20 inlet, #16 outlet |
| 237KB1BX-R   | 2.37   | .75" str. key         | CW / Right | side: #20 inlet, #16 outlet |
| 237KB25BX-R  | 2.37   | .75" str. key         | CW / Right | rear: #20 inlet, #16 outlet |
| 237KB1ASX-R  | 2.37   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| 237KB25ASX-R | 2.37   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| 280KB1AX-L   | 2.80   | .864" 13-tooth spline | CCW / Left | side: #20 inlet, #16 outlet |
| 280KB25AX-L  | 2.80   | .864" 13-tooth spline | CCW / Left | rear: #20 inlet, #16 outlet |
| 280KB1BX-L   | 2.80   | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| 280KB25BX-L  | 2.80   | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| 280KB1ASX-L  | 2.80   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| 280KB25ASX-L | 2.80   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| 280KB1FX-L   | 2.80   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| 280KB25FX-L  | 2.80   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| 280KB1AX-R   | 2.80   | .864" 13-tooth spline | CW / Right | side: #20 inlet, #16 outlet |
| 280KB25AX-R  | 2.80   | .864" 13-tooth spline | CW / Right | rear: #20 inlet, #16 outlet |
| 280KB1BX-R   | 2.80   | .75" str. key         | CW / Right | side: #20 inlet, #16 outlet |
| 280KB25BX-R  | 2.80   | .75" str. key         | CW / Right | rear: #20 inlet, #16 outlet |
| 280KB1ASX-R  | 2.80   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| 280KB25ASX-R | 2.80   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| 280KB1FX-R   | 2.80   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| 280KB25FX-R  | 2.80   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |

## Surplus Inventory

|              |      |               |            |                             |
|--------------|------|---------------|------------|-----------------------------|
| 280KB1KX-L   | 2.80 | Threaded      | CCW / Left | side: #20 inlet, #16 outlet |
| 280KB25KX-L  | 2.80 | Threaded      | CCW / Left | rear: #20 inlet, #16 outlet |
| 280KB1KX-R   | 2.80 | Threaded      | CW / Right | side: #20 inlet, #16 outlet |
| 280KB25KX-R  | 2.80 | Threaded      | CW / Right | rear: #20 inlet, #16 outlet |
| 323KB1BX-L   | 3.23 | .75" str. key | CCW / Left | side: #20 inlet, #16 outlet |
| 323KB25BX-L  | 3.23 | .75" str. key | CCW / Left | rear: #20 inlet, #16 outlet |
| 323KB1ASX-L  | 3.23 | 7/8" keyed    | CCW / Left | side: #20 inlet, #16 outlet |
| 323KB25ASX-L | 3.23 | 7/8" keyed    | CCW / Left | rear: #20 inlet, #16 outlet |
| 388KB1BX-L   | 3.88 | .75" str. key | CCW / Left | side: #20 inlet, #16 outlet |
| 388KB25BX-L  | 3.88 | .75" str. key | CCW / Left | rear: #20 inlet, #16 outlet |
| 388KB1ASX-L  | 3.88 | 7/8" keyed    | CCW / Left | side: #20 inlet, #16 outlet |
| 388KB25ASX-L | 3.88 | 7/8" keyed    | CCW / Left | rear: #20 inlet, #16 outlet |
| 388KB1KX-L   | 3.88 | Threaded      | CCW / Left | side: #20 inlet, #16 outlet |
| 388KB25KX-L  | 3.88 | Threaded      | CCW / Left | rear: #20 inlet, #16 outlet |
| 388KB1KX-R   | 3.88 | Threaded      | CW / Right | side: #20 inlet, #16 outlet |
| 388KB25KX-R  | 3.88 | Threaded      | CW / Right | rear: #20 inlet, #16 outlet |

### Multi-Section Pumps

| Model Code            | C.I.D.      | Shaft                 | Rotation   | Notes                          |
|-----------------------|-------------|-----------------------|------------|--------------------------------|
| 065KB8ASX/065KX1XX-L  | 0.65 / .065 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 065KB8ASX/065KX1XX-R  | 0.65 / .065 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |
| 065KB8ASX/065KX25XX-L | 0.65 / .065 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 065KB8ASX/065KX25XX-R | 0.65 / .065 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |
| 086KB8ASX/086KX1XX-L  | .086 / .086 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 086KB8ASX/086KX1XX-R  | .086 / .086 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |
| 086KB8ASX/086KX25XX-L | .086 / .086 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 086KB8ASX/086KX25XX-R | .086 / .086 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |
| 086KB8AX/086KX1XX-L   | .086 / .086 | .75" str. key         | CCW / Left | bearing: #20 inlet, #16 outlet |
| 086KB8AX/086KX1XX-R   | .086 / .086 | .864" 13-tooth spline | CW / Right | bearing: #20 inlet, #16 outlet |
| 086KB8AX/086KX25XX-L  | .086 / .086 | .864" 13-tooth spline | CCW / Left | bearing: #20 inlet, #16 outlet |
| 086KB8AX/086KX25XX-R  | .086 / .086 | .864" 13-tooth spline | CW / Right | bearing: #20 inlet, #16 outlet |
| 086KB8BX/086KX1XX-L   | .086 / .086 | .75" str. key         | CCW / Left | bearing: #20 inlet, #16 outlet |
| 086KB8BX/086KX1XX-R   | .086 / .086 | .75" str. key         | CW / Right | bearing: #20 inlet, #16 outlet |
| 086KB8BX/086KX25XX-L  | .086 / .086 | .75" str. key         | CCW / Left | bearing: #20 inlet, #16 outlet |
| 086KB8BX/086KX25XX-R  | .086 / .086 | .75" str. key         | CW / Right | bearing: #20 inlet, #16 outlet |
| 194KB8ASX/194KX1XX-L  | 1.94 / 1.94 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 194KB8ASX/194KX25XX-L | 1.94 / 1.94 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX1XX-L  | 2.80 / 2.80 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX1XX-R  | 2.80 / 2.80 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX25XX-L | 2.80 / 2.80 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX25XX-R | 2.80 / 2.80 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |
| 280KB8AX/280KX1XX-L   | 2.80 / 2.80 | .864" 13-tooth spline | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8AX/280KX1XX-R   | 2.80 / 2.80 | .864" 13-tooth spline | CW / Right | bearing: #20 inlet, #16 outlet |
| 280KB8AX/280KX25XX-L  | 2.80 / 2.80 | .864" 13-tooth spline | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8AX/280KX25XX-R  | 2.80 / 2.80 | .864" 13-tooth spline | CW / Right | bearing: #20 inlet, #16 outlet |
| 280KB8BX/280KX1XX-L   | 2.80 / 2.80 | .75" str. key         | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8BX/280KX1XX-R   | 2.80 / 2.80 | .75" str. key         | CW / Right | bearing: #20 inlet, #16 outlet |
| 280KB8BX/280KX25XX-L  | 2.80 / 2.80 | .75" str. key         | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8BX/280KX25XX-R  | 2.80 / 2.80 | .75" str. key         | CW / Right | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX1XX-L  | 2.80 / 2.80 | 7/8" keyed            | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX1XX-R  | 2.80 / 2.80 | 7/8" keyed            | CW / Right | bearing: #20 inlet, #16 outlet |

## Surplus Inventory

|                       |             |               |            |                                |
|-----------------------|-------------|---------------|------------|--------------------------------|
| 280KB8ASX/280KX25XX-L | 2.80 / 2.80 | 7/8" keyed    | CCW / Left | bearing: #20 inlet, #16 outlet |
| 280KB8ASX/280KX25XX-R | 2.80 / 2.80 | 7/8" keyed    | CW / Right | bearing: #20 inlet, #16 outlet |
| 323KB8ASX/323KX1XX-L  | 3.23 / 3.23 | 7/8" keyed    | CCW / Left | bearing: #20 inlet, #16 outlet |
| 323KB8ASX/323KX1XX-R  | 3.23 / 3.23 | 7/8" keyed    | CW / Right | bearing: #20 inlet, #16 outlet |
| 323KB8ASX/323KX25XX-L | 3.23 / 3.23 | 7/8" keyed    | CCW / Left | bearing: #20 inlet, #16 outlet |
| 323KB8ASX/323KX25XX-R | 3.23 / 3.23 | 7/8" keyed    | CW / Right | bearing: #20 inlet, #16 outlet |
| 323KB8BX/323KX1XX-L   | 3.23 / 3.23 | .75" str. key | CCW / Left | bearing: #20 inlet, #16 outlet |
| 323KB8BX/323KX1XX-R   | 3.23 / 3.23 | .75" str. key | CW / Right | bearing: #20 inlet, #16 outlet |
| 323KB8BX/323KX25XX-L  | 3.23 / 3.23 | .75" str. key | CCW / Left | bearing: #20 inlet, #16 outlet |
| 323KB8BX/323KX25XX-R  | 3.23 / 3.23 | .75" str. key | CW / Right | bearing: #20 inlet, #16 outlet |
| 388KB8ASX/388KX1XX-L  | 3.88 / 3.88 | 7/8" keyed    | CCW / Left | bearing: #20 inlet, #16 outlet |
| 388KB8ASX/388KX1XX-R  | 3.88 / 3.88 | 7/8" keyed    | CW / Right | bearing: #20 inlet, #16 outlet |
| 388KB8ASX/388KX25XX-L | 3.88 / 3.88 | 7/8" keyed    | CCW / Left | bearing: #20 inlet, #16 outlet |
| 388KB8ASX/388KX25XX-R | 3.88 / 3.88 | 7/8" keyed    | CW / Right | bearing: #20 inlet, #16 outlet |
| 388KB8BX/388KX1XX-L   | 3.88 / 3.88 | .75" str. key | CCW / Left | bearing: #20 inlet, #16 outlet |
| 388KB8BX/388KX1XX-R   | 3.88 / 3.88 | .75" str. key | CW / Right | bearing: #20 inlet, #16 outlet |
| 388KB8BX/388KX25XX-L  | 3.88 / 3.88 | .75" str. key | CCW / Left | bearing: #20 inlet, #16 outlet |
| 388KB8BX/388KX25XX-R  | 3.88 / 3.88 | .75" str. key | CW / Right | bearing: #20 inlet, #16 outlet |

### Webster / Danfoss KB Hydraulic Motors

The following KB hydraulic motors are configurable from our parts inventory. All pumps SAE B 2-bolt.

| Model Code    | C.I.D. | Shaft                 | Rotation   | Notes                       |
|---------------|--------|-----------------------|------------|-----------------------------|
| M065KB1ASX-L  | 0.65   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M065KB25ASX-L | 0.65   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M065KB1ASX-R  | 0.65   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| M065KB25ASX-R | 0.65   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| M086KB1AX-L   | 0.86   | .864" 13-tooth spline | CCW / Left | side: #20 inlet, #16 outlet |
| M086KB1BX-L   | 0.86   | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| M086KB1ASX-L  | 0.86   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M086KB25AX-L  | 0.86   | .864" 13-tooth spline | CCW / Left | rear: #20 inlet, #16 outlet |
| M086KB25BX-L  | 0.86   | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| M086KB25ASX-L | 0.86   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M086KB1AX-R   | 0.86   | .864" 13-tooth spline | CW / Right | side: #20 inlet, #16 outlet |
| M086KB1BX-R   | 0.86   | .75" str. key         | CW / Right | side: #20 inlet, #16 outlet |
| M086KB1ASX-R  | 0.86   | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| M086KB25AX-R  | 0.86   | .864" 13-tooth spline | CW / Right | rear: #20 inlet, #16 outlet |
| M086KB25BX-R  | 0.86   | .75" str. key         | CW / Right | rear: #20 inlet, #16 outlet |
| M086KB25ASX-R | 0.86   | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| M194KB1ASX-L  | 1.94   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M194KB25ASX-L | 1.94   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M237KB1AX-L   | 2.37   | .864" 13-tooth spline | CCW / Left | side: #20 inlet, #16 outlet |
| M237KB25AX-L  | 2.37   | .864" 13-tooth spline | CCW / Left | rear: #20 inlet, #16 outlet |
| M237KB1BX-L   | 2.37   | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| M237KB25BX-L  | 2.37   | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| M237KB1ASX-L  | 2.37   | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M237KB25ASX-L | 2.37   | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M237KB1AX-R   | 2.37   | .864" 13-tooth spline | CW / Right | side: #20 inlet, #16 outlet |
| M237KB25AX-R  | 2.37   | .864" 13-tooth spline | CW / Right | rear: #20 inlet, #16 outlet |
| M237KB1BX-R   | 2.37   | .75" str. key         | CW / Right | side: #20 inlet, #16 outlet |
| M237KB25BX-R  | 2.37   | .75" str. key         | CW / Right | rear: #20 inlet, #16 outlet |

## Surplus Inventory

|               |      |                       |            |                             |
|---------------|------|-----------------------|------------|-----------------------------|
| M237KB1ASX-R  | 2.37 | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| M237KB25ASX-R | 2.37 | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| M280KB1AX-L   | 2.8  | .864" 13-tooth spline | CCW / Left | side: #20 inlet, #16 outlet |
| M280KB25AX-L  | 2.8  | .864" 13-tooth spline | CCW / Left | rear: #20 inlet, #16 outlet |
| M280KB1BX-L   | 2.8  | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| M280KB25BX-L  | 2.8  | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| M280KB1ASX-L  | 2.8  | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M280KB25ASX-L | 2.8  | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M280KB1FX-L   | 2.8  | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M280KB25FX-L  | 2.8  | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M280KB1AX-R   | 2.8  | .864" 13-tooth spline | CW / Right | side: #20 inlet, #16 outlet |
| M280KB25AX-R  | 2.8  | .864" 13-tooth spline | CW / Right | rear: #20 inlet, #16 outlet |
| M280KB1BX-R   | 2.8  | .75" str. key         | CW / Right | side: #20 inlet, #16 outlet |
| M280KB25BX-R  | 2.8  | .75" str. key         | CW / Right | rear: #20 inlet, #16 outlet |
| M280KB1ASX-R  | 2.8  | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| M280KB25ASX-R | 2.8  | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| M280KB1FX-R   | 2.8  | 7/8" keyed            | CW / Right | side: #20 inlet, #16 outlet |
| M280KB25FX-R  | 2.8  | 7/8" keyed            | CW / Right | rear: #20 inlet, #16 outlet |
| M280KB1KX-L   | 2.8  | Threaded              | CCW / Left | side: #20 inlet, #16 outlet |
| M280KB25KX-L  | 2.8  | Threaded              | CCW / Left | rear: #20 inlet, #16 outlet |
| M280KB1KX-R   | 2.8  | Threaded              | CW / Right | side: #20 inlet, #16 outlet |
| M280KB25KX-R  | 2.8  | Threaded              | CW / Right | rear: #20 inlet, #16 outlet |
| M323KB1BX-L   | 3.23 | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| M323KB25BX-L  | 3.23 | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| M323KB1ASX-L  | 3.23 | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M323KB25ASX-L | 3.23 | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M388KB1BX-L   | 3.88 | .75" str. key         | CCW / Left | side: #20 inlet, #16 outlet |
| M388KB25BX-L  | 3.88 | .75" str. key         | CCW / Left | rear: #20 inlet, #16 outlet |
| M388KB1ASX-L  | 3.88 | 7/8" keyed            | CCW / Left | side: #20 inlet, #16 outlet |
| M388KB25ASX-L | 3.88 | 7/8" keyed            | CCW / Left | rear: #20 inlet, #16 outlet |
| M388KB1KX-L   | 3.88 | Threaded              | CCW / Left | side: #20 inlet, #16 outlet |
| M388KB25KX-L  | 3.88 | Threaded              | CCW / Left | rear: #20 inlet, #16 outlet |
| M388KB1KX-R   | 3.88 | Threaded              | CW / Right | side: #20 inlet, #16 outlet |
| M388KB25KX-R  | 3.88 | Threaded              | CW / Right | rear: #20 inlet, #16 outlet |

### Webster / Danfoss B Hydraulic Pumps

The following B hydraulic pumps are configurable from our parts inventory.  
Universal mounting flange for either 4-bolt or 2-bolt SAE AA mounting.

The following Webster B pumps are configurable from our parts inventory:

| Model Code | C.I.D. | Shaft     | Rotation   | Notes          |
|------------|--------|-----------|------------|----------------|
| 06B1E1A2-L | .06    | Tang      | CCW / Left | Relief & Check |
| 06B1E1A2-R | .06    | Tang      | CW / Right | Relief & Check |
| 06B1E1AX-L | .06    | Tang      | CCW / Left |                |
| 06B1E1AX-R | .06    | Tang      | CW / Right |                |
| 06B1E1B2-L | .06    | Str. Key. | CCW / Left | Relief & Check |
| 06B1E1B2-R | .06    | Str. Key. | CW / Right | Relief & Check |
| 06B1E1B2-R | .06    | Str. Key. | CW / Right |                |
| 06B1E1BX-L | .06    | Str. Key. | CCW / Left |                |
| 06B1E1BX-R | .06    | Str. Key. | CW / Right |                |

## Surplus Inventory

|            |     |           |            |                |
|------------|-----|-----------|------------|----------------|
| 06B1E2AX-L | .06 | Tang      | CCW / Left |                |
| 06B1E2AX-R | .06 | Tang      | CW / Right |                |
| 06B1E2BX-L | .06 | Str. Key. | CCW / Left |                |
| 06B1E2BX-R | .06 | Str. Key. | CW / Right |                |
| 11B1E1A2-L | .11 | Tang      | CCW / Left | Relief & Check |
| 11B1E1A2-R | .11 | Tang      | CW / Right | Relief & Check |
| 11B1E1AX-L | .11 | Tang      | CCW / Left |                |
| 11B1E1AX-R | .11 | Tang      | CW / Right |                |
| 11B1E1B2-L | .11 | Str. Key. | CCW / Left | Relief & Check |
| 11B1E1B2-R | .11 | Str. Key. | CW / Right | Relief & Check |
| 11B1E1BX-L | .11 | Str. Key. | CCW / Left |                |
| 11B1E1BX-R | .11 | Str. Key. | CW / Right |                |
| 11B1E2AX-L | .11 | Tang      | CCW / Left |                |
| 11B1E2AX-R | .11 | Tang      | CW / Right |                |
| 11B1E2BX-L | .11 | Str. Key. | CCW / Left |                |
| 11B1E2BX-R | .11 | Str. Key. | CW / Right |                |
| 15B1E1A2-L | .15 | Tang      | CCW / Left | Relief & Check |
| 15B1E1A2-R | .15 | Tang      | CW / Right | Relief & Check |
| 15B1E1AX-L | .15 | Tang      | CCW / Left |                |
| 15B1E1AX-R | .15 | Tang      | CW / Right |                |
| 15B1E1B2-L | .15 | Str. Key. | CCW / Left | Relief & Check |
| 15B1E1B2-R | .15 | Str. Key. | CW / Right | Relief & Check |
| 15B1E1BX-L | .15 | Str. Key. | CCW / Left |                |
| 15B1E1BX-R | .15 | Str. Key. | CW / Right |                |
| 15B1E1BX-R | .15 | Str. Key. | CW / Right |                |
| 15B1E2AX-L | .15 | Tang      | CCW / Left |                |
| 15B1E2AX-R | .15 | Tang      | CW / Right |                |
| 15B1E2BX-L | .15 | Str. Key. | CCW / Left |                |
| 15B1E2BX-R | .15 | Str. Key. | CW / Right |                |
| 18B1E1A2-L | .18 | Tang      | CCW / Left | Relief & Check |
| 18B1E1A2-R | .18 | Tang      | CW / Right | Relief & Check |
| 18B1E1AX-L | .18 | Tang      | CCW / Left |                |
| 18B1E1AX-R | .18 | Tang      | CW / Right |                |
| 18B1E1B2-L | .18 | Str. Key. | CCW / Left | Relief & Check |
| 18B1E1B2-R | .18 | Str. Key. | CW / Right | Relief & Check |
| 18B1E1BX-L | .18 | Str. Key. | CCW / Left |                |
| 18B1E1BX-R | .18 | Str. Key. | CW / Right |                |
| 18B1E2AX-L | .18 | Tang      | CCW / Left |                |
| 18B1E2AX-R | .18 | Tang      | CW / Right |                |
| 18B1E2BX-L | .18 | Str. Key. | CCW / Left |                |
| 18B1E2BX-R | .18 | Str. Key. | CW / Right |                |
| 22B1E1A2-L | .22 | Tang      | CCW / Left | Relief & Check |
| 22B1E1A2-R | .22 | Tang      | CW / Right | Relief & Check |
| 22B1E1AX-L | .22 | Tang      | CCW / Left |                |
| 22B1E1AX-R | .22 | Tang      | CW / Right |                |
| 22B1E1B2-L | .22 | Str. Key. | CCW / Left | Relief & Check |

## Surplus Inventory

|            |     |           |               |                |
|------------|-----|-----------|---------------|----------------|
| 22B1E1B2-R | .22 | Str. Key. | CW / Right    | Relief & Check |
| 22B1E1BX-L | .22 | Str. Key. | CCW / Left    |                |
| 22B1E1BX-R | .22 | Str. Key. | CW / Right    |                |
| 22B1E2AX-L | .22 | Tang      | CCW / Left    |                |
| 22B1E2AX-R | .22 | Tang      | CW / Right    |                |
| 22B1E2BX-B | .22 | Str. Key. | Bi-rotational |                |
| 22B1E2BX-L | .22 | Str. Key. | CCW / Left    |                |
| 22B1E2BX-R | .22 | Str. Key. | CW / Right    |                |
| 30B1E1A2-L | .30 | Tang      | CCW / Left    | Relief & Check |
| 30B1E1A2-R | .30 | Tang      | CW / Right    | Relief & Check |
| 30B1E1AX-L | .30 | Tang      | CCW / Left    |                |
| 30B1E1AX-R | .30 | Tang      | CW / Right    |                |
| 30B1E1B2-L | .30 | Str. Key. | CCW / Left    | Relief & Check |
| 30B1E1B2-R | .30 | Str. Key. | CW / Right    | Relief & Check |
| 30B1E1BX-L | .30 | Str. Key. | CCW / Left    |                |
| 30B1E1BX-R | .30 | Str. Key. | CW / Right    |                |
| 30B1E2AX-L | .30 | Tang      | CCW / Left    |                |
| 30B1E2AX-R | .30 | Tang      | CW / Right    |                |
| 30B1E2BX-L | .30 | Str. Key. | CCW / Left    |                |
| 30B1E2BX-R | .30 | Str. Key. | CW / Right    |                |
| 37B1E1A2-L | .37 | Tang      | CCW / Left    | Relief & Check |
| 37B1E1A2-R | .37 | Tang      | CW / Right    | Relief & Check |
| 37B1E1AX-L | .37 | Tang      | CCW / Left    |                |
| 37B1E1AX-R | .37 | Tang      | CW / Right    |                |
| 37B1E1B2-L | .37 | Str. Key. | CCW / Left    | Relief & Check |
| 37B1E1B2-R | .37 | Str. Key. | CW / Right    | Relief & Check |
| 37B1E1B2-R | .37 | Str. Key. | CW / Right    |                |
| 37B1E1BX-B | .37 | Str. Key. | Bi-rotational |                |
| 37B1E1BX-L | .37 | Str. Key. | CCW / Left    |                |
| 37B1E1BX-R | .37 | Str. Key. | CW / Right    |                |
| 37B1E2AX-L | .37 | Tang      | CCW / Left    |                |
| 37B1E2AX-R | .37 | Tang      | CW / Right    |                |
| 37B1E2BX-L | .37 | Str. Key. | CCW / Left    |                |
| 37B1E2BX-R | .37 | Str. Key. | CW / Right    |                |
| 47B1E1A2-L | .47 | Tang      | CCW / Left    | Relief & Check |
| 47B1E1A2-R | .47 | Tang      | CW / Right    | Relief & Check |
| 47B1E1AX-L | .47 | Tang      | CCW / Left    |                |
| 47B1E1AX-R | .47 | Tang      | CW / Right    |                |
| 47B1E1B2-L | .47 | Str. Key. | CCW / Left    | Relief & Check |
| 47B1E1B2-R | .47 | Str. Key. | CW / Right    | Relief & Check |
| 47B1E1BX-B | .47 | Str. Key. | Bi-rotational |                |
| 47B1E1BX-L | .47 | Str. Key. | CCW / Left    |                |
| 47B1E1BX-R | .47 | Str. Key. | CW / Right    |                |
| 47B1E2AX-L | .47 | Tang      | CCW / Left    |                |
| 47B1E2AX-R | .47 | Tang      | CW / Right    |                |
| 47B1E2BX-L | .47 | Str. Key. | CCW / Left    |                |

## Surplus Inventory

|                       |                     |           |   |                |
|-----------------------|---------------------|-----------|---|----------------|
| 47B1E2BX-R            | .47                 | Str. Key. | CW / Right  |                |
| 59B1E1A2-L            | .59                 | Tang      | CCW / Left  | Relief & Check |
| 59B1E1A2-R            | .59                 | Tang      | CW / Right  | Relief & Check |
| 59B1E1AX-L            | .59                 | Tang      | CCW / Left  |                |
| 59B1E1AX-R            | .59                 | Tang      | CW / Right  |                |
| 59B1E1B2-L            | .59                 | Str. Key. | CCW / Left  | Relief & Check |
| 59B1E1B2-L            | .59                 | Str. Key. | CCW / Left  |                |
| 59B1E1B2-R            | .59                 | Str. Key. | CW / Right  | Relief & Check |
| 59B1E1BX-B            | .59                 | Str. Key. | Bi-rotational                                       |                |
| 59B1E1BX-L            | .59                 | Str. Key. | CCW / Left  |                |
| 59B1E1BX-R            | .59                 | Str. Key. | CW / Right  |                |
| 59B1E2AX-L            | .59                 | Tang      | CCW / Left  |                |
| 59B1E2AX-R            | .59                 | Tang      | CW / Right  |                |
| 59B1E2BX-L            | .59                 | Str. Key. | CCW / Left  |                |
| 59B1E2BX-R            | .59                 | Str. Key. | CW / Right  |                |
| 74B1E1A2-L            | .74                 | Tang      | CCW / Left  | Relief & Check |
| 74B1E1A2-R            | .74                 | Tang      | CW / Right  | Relief & Check |
| 74B1E1AX-L            | .74                 | Tang      | CCW / Left  |                |
| 74B1E1AX-R            | .74                 | Tang      | CW / Right  |                |
| 74B1E1B2-L            | .74                 | Str. Key. | CCW / Left  | Relief & Check |
| 74B1E1B2-R            | .74                 | Str. Key. | CW / Right  | Relief & Check |
| 74B1E1BX-L            | .74                 | Str. Key. | CCW / Left  |                |
| 74B1E1BX-R            | .74                 | Str. Key. | CW / Right  |                |
| 74B1E2AX-L            | .74                 | Tang      | CCW / Left  |                |
| 74B1E2AX-R            | .74                 | Tang      | CW / Right  |                |
| 74B1E2BX-L            | .74                 | Str. Key. | CCW / Left  |                |
| 74B1E2BX-R            | .74                 | Str. Key. | CW / Right  |                |
| Danfoss / Webster KA  | 065KA01PX-R         |           | Hydraulic pump                                      |                |
| Danfoss / Webster YB  | 22YBAD512-2LB       |           | YB pump (alternative part #'s 163V1044 & 36194-116) |                |
| Danfoss / Webster YB  | 29YBAD512-RB        |           | YB pump (alternative part #'s 163V1053 & 36198-108) |                |
| Danfoss / Webster YB  | 29YBAD012-2LB       |           | YB pump (alternative part #'s 163V1054 & 36198-110) |                |
| Danfoss / Webster YB  | 36198               |           |   |                |
| Danfoss / Webster HCS | 4XCS-R              |           | Hydraulic pump 20352-4                              |                |
| Danfoss / Webster HCS | MOHCS               |           | Hydraulic motor                                     |                |
| Danfoss / Webster     | C9F1A1L15B          |           | Hydraulic pump                                      |                |
| Danfoss / Webster     | OH19BS10-LB         |           | Hydraulic pump                                      |                |
| Danfoss / Webster     | 163S1023            |           | YC Series SINGLE MINOR KIT                          |                |
| Oilgear               | PVWH-25-RSAS-CNNN   |           | Hydraulic pump                                      |                |
| Oilgear               | pwh-60-LSAY-CNNN    |           |   |                |
| Parker                | PVP16304RGA112      |           | Hydraulic pump                                      |                |
| Metaris               | MHP365A442FBAB20-11 |           | Hydraulic pump                                      |                |
| Metaris               | MHM350A878VC3B17-11 |           | Hydraulic motor                                     |                |

## Surplus Inventory

|                   |                                |  |
|-------------------|--------------------------------|--|
| Bondioli & Pavesi | SMP016RAJSBA10                 | Hydraulic pump   |
| Cessna            | PPV2483RBS                     | Hydraulic pump   |
| Cessna            | 26012-LAE (replaces 24308-LAD) | Hydraulic pump   |
| Cessna            | 71042 LBU                      | Hydraulic Pump   |
| Cessna            | 26009-RZE                      | Hydraulic Pump   |
| Vickers           | V20P1P12T                      | Hydraulic Pump   |
| Hydra-Cell        | D04XABTHFECG                   | Pump, Water. With pump-motor adapter.  |
| Sauer Danfoss     | Core                           | Pump model 22-7912-R   |
| Sauer Sunstrand   | Core                           | Pump 90R055 KA1BC60S3 S1C03GBA 202024*, model 9421697, with KVEAB0502 electrical displacement controller |
| Sauer Sunstrand   | Core                           | 26 series pump. Model 26-7004  |
| Rivett            | PFS1003-2441                   |  |
| Casappa           | PLP20.300-82E2-LEA/EA-N-EL FS  | 02004640 1491/P  |
| Casappa           | PLP20.8 D0                     | 02004990 2527/G  |
| Char-Lynn / Eaton | 100-131-009                    | Hydraulic motor  |
| Char-Lynn / Eaton | 101-1033-009                   | Hydraulic motor  |
| Char-Lynn / Eaton | 101-1034-009                   | Hydraulic motor  |
| Char-Lynn / Eaton | 101-1040-009                   | Hydraulic motor  |
| Char-Lynn / Eaton | 101-105-009                    | Hydraulic motor  |
| Char-Lynn / Eaton | 103-1016-010                   | Hydraulic motor  |
| Char-Lynn / Eaton | 104-1020-006                   | Hydraulic motor  |
| Char-Lynn / Eaton | 109-1106-006                   | Hydraulic motor  |
| Parker Nichols    | 104-7-AS-0                     | Hydraulic motor  |
| Parker Nichols    | 040-030-AS 249-95              | Hydraulic motor  |
| White             | RS06030100                     | Hydraulic motor  |
| White             | 355230AH120AAAAA               | Hydraulic motor  |
| Ross              | MAC021999                      | Hydraulic motor  |

## CYLINDERS

|                   |                                       |  |
|-------------------|---------------------------------------|--|
| Nopak cylinder    | CL3-2X38-A-AA-1.0"-3-SAE<br>ORB PORTS | Hydraulic cylinder   |
| Hercules Cylinder | HCW-4036                              | Welded hydraulic cylinder, clevis mount, 4" bore, 36" stroke 2" rod, 1" pins |
| Chief Cylinder    | 286-058                               | 8" stroke, 4" bore, 2" rod, 3000 PSI   |
| Chief Cylinder    | 218-299                               | 8" stroke, 2" bore, 2500 PSI<br>Maxim series tie-rod cylinder                |

## Surplus Inventory

|                 |                  |  |
|-----------------|------------------|--|
| Parker          | Tie-Rod cylinder | 16" stroke, 3-1/2" bore, 1-3/4" rod, 3,000 PSI, side lug mount |
| Chief Cylinder  |                  | 8" stroke, 7-3/4" bore, 3" rod                                 |
| Welded cylinder | Welded cylinder  | 59" stroke, 4-1/2" bore, 2-1/2" rod                            |
| Clippard        | SRR-24-1 1/2     | Air cylinder   |
| Enerpac         | AD-153           | 25T Clevis Eye   |

## VALVES

|                   |                                    |   |
|-------------------|------------------------------------|---|
| Hystar            | DMT-03-2B2-1090                    | D05 manual directional control valve                    |
| Gresen            | L050D                              | Lock valve  |
| Gresen            | PDC-75-50                          | Proportional flow divider                               |
| Gresen            | WJL-50-A-2000                      | In-line relief valve                                    |
| Prince            | RDRS-175-30                        | Adjustable flow control valve, 0-30 GPM                 |
| Barksdale         | 8143R1H03-MC                       | Rotary / Shear seal valve                               |
| Barksdale         | 564R3W04                           | Rotary / Shear seal valve                               |
| Republic          | AF-04-647-605                      | Rotary / Shear seal valve, 8000 PSI max                 |
| Needle Valve      | SPV4F4FT                           | Needle Valve, 316 SS, 10,000 PSI, 1/4" NPTF x 1/4" NPTF |
| Webster           | YD Series Priority Flow Divider    |   |
| Parker (Gresen)   | PDC75-50 (08435002)                | Flow Divider Combiner                                   |
| Vickers           | XT062F30                           | Reducing Valve  |
| Vickers           | C606F50                            | Relief Valve (500 - 3000 PSI)                           |
| Vickers           | 40G10A21                           | Pilot operated Check valve                              |
| Modular Controls  | MCD-2733 w/ PTS1-16V-0-80          |   |
| Brand             | B100AB                             | Proportional Flow Divider to 30 GPM                     |
| Parker Fluidex    | 06F20C6-1130                       |   |
| Parker Fluidex    | 06F25C6222CAFEC05                  |   |
| Parker Fluidex    | 04F20C3-353B                       |   |
| ASCO Redhat       | 06326S J3                          | V022 2-3/8 Flow Control                                 |
| ASCO Redhat       | 04857S K3                          | V022 2-3/8 Flow Control                                 |
| ASCO Redhat       | 03476S I3                          | V022 2-3/8 Flow Control                                 |
| ASCO Redhat       | S87821F2                           | 3/8 Flow Control  |
| Hydroseal valve   | 1AV00N/D5                          |   |
| Nessie Danfoss    | VDHT 3/8 E NO<br>Code No. 180L0205 | 2/2 Directional Valve                                   |
| Danfoss / Webster | FV6120                             | 6 GPM priority flow divider                             |
| Danfoss / Webster | FV8110                             | Flow divider  |
| Danfoss / Webster | FV8120                             | Flow divider  |
| Danfoss / Webster | 151-38606                          | Flow divider  |

## Surplus Inventory

### CARTRIDGE VALVES

|     |          |                 |
|-----|----------|-----------------|
| Sun | RSDC-OCN | Valve cartridge |
| Sun | RVEA-LAN | Valve cartridge |
| Sun | RQEB-LAN | Valve cartridge |
| Sun | RPGC-FAN | Valve cartridge |
| Sun | RPEE-LCN | Valve cartridge |
| Sun | PBFB-LAN | Valve cartridge |
| Sun | PBDB-OWN | Valve cartridge |
| Sun | CXCD-XAN | Valve cartridge |
| Sun | CBCH-LKN | Valve cartridge |
| Sun | AEI      | Valve body      |
| Sun | AMT      | Valve body      |
| Sun | B4L      | Valve body      |
| Sun | BB2      | Valve body      |
| Sun | BB3      | Valve body      |
| Sun | BBA      | Valve body      |
| Sun | BCC      | Valve body      |
| Sun | BFK      | Valve body      |
| Sun | CAL      | Valve body      |
| Sun | CBF      | Valve body      |
| Sun | CED      | Valve body      |
| Sun | CEL      | Valve body      |
| Sun | DAJ      | Valve body      |
| Sun | DBY      | Valve body      |
| Sun | DCC      | Valve body      |
| Sun | DCJ      | Valve body      |
| Sun | E2A      | Valve body      |
| Sun | E6I      | Valve body      |
| Sun | E8I      | Valve body      |
| Sun | EAJ      | Valve body      |
| Sun | EBA      | Valve body      |
| Sun | ECA      | Valve body      |
| Sun | ECB      | Valve body      |
| Sun | ECC      | Valve body      |
| Sun | ECJ      | Valve body      |
| Sun | EFJ      | Valve body      |
| Sun | ESJ      | Valve body      |
| Sun | FAB      | Valve body      |
| Sun | FBA      | Valve body      |
| Sun | FEC      | Valve body      |
| Sun | GAJ      | Valve body      |
| Sun | GBO      | Valve body      |
| Sun | GCJ      | Valve body      |
| Sun | HCF      | Valve body      |
| Sun | HCL      | Valve body      |
| Sun | HCN      | Valve body      |
| Sun | HHL      | Valve body      |
| Sun | HHM      | Valve body      |

## Surplus Inventory

|                  |                           |  |
|------------------|---------------------------|--|
| Sun              | MAI/S                     | Valve body                                     |
| Sun              | MBP                       | Valve body                                     |
| Sun              | MPI/S                     | Valve body                                     |
| Sun              | WYN                       | Valve body                                     |
| Sun              | XVI                       | Valve body                                     |
| Sun              | ZNW                       | Valve body                                     |
| Sun              | 770-224                   | Coils, 24 Volt DC                              |
| Sun              | 770-211                   | Coils, 115 Volt AC                             |
| Delta Power      | 3910035                   | Solenoid coil, 110 Volt AC                     |
| Delta Power      |                           | Solenoid coil, 12 Volt DC                      |
| Compact Contols  | 321473                    | Solenoid coil, 120 Volt AC, 16 Watts           |
| Delta Power      |                           | Solenoid coil, 24 Volt DC                      |
| Vickers          | 02-178063                 | Solenoid coil, 12 Volt DC                      |
| Danfoss          |                           | Solenoid coil, 115 Volt AC for cartridge valve |
| Hydraforce       | 6365115 4905              | Solenoid coil, 115 Volt AC                     |
| Hydraforce       | 6359412                   | Solenoid coil, 12 Volt DC                      |
| Compact Controls | YC220322 R4               | 16-3, 12 SAE body                              |
| Compact Controls | CP712-1-B-0-0-080-S1      | cartridge body                                 |
| Compact Controls | YC220203 R17              | 10-3, 3/8" NPT                                 |
| Compact Controls | YC220206 R21 349          | 10-4   |
| Compact Controls | YC220448 R11              | 10-4, 6 SAE                                    |
| Compact Controls | TYC220206 R21 349         | 10-3 8 SAE                                     |
| Compact Controls | TYC220206 R21 349 - STEEL | 10-3, 8 SAE                                    |
| Compact Controls | YC220205 R21 349          | 10-3, 6 SAE                                    |
| Compact Controls | YC220822 R8               | 8-3, 6 SAE                                     |
| Compact Controls | YC220817 R14              | 6 SAE  |
| Doering          | S8542-6S                  | body, stainless steel                          |
| Delta Power      | 85002356 DE-S2B-00        | Normally closed                                |
| Vickers          | 24043                     | Valve cartridge body                           |
| SPX Corp         | 9608                      | Pressure reducing valve                        |

## FILTERS

|               |                |   |
|---------------|----------------|---|
| Norman Filter | 30K-250HP-20VL | High Pressure Filter, 30,000 PSI, 2.5 GPM, 20 micron nominal, 1/4" ports, Stainless steel |
| Norman Filter | 30K-375HP-20VL | High Pressure Filter, 30,000 PSI, 5.5 GPM, 20 micron nominal, 3/8" ports, Stainless steel |

## OTHER

|                            |                 |  |
|----------------------------|-----------------|--|
| Altronic                   | 4A24-GVW        | Sealed-ignition magneto  |
| Sterling Sterlco           | M28-6010-D      | Sterlco 6000 Series Oil Temperature Control Unit, Portable single zone high temperature control unit. 6 GPM, 50 PSI to process. 460Volt AC, 3 Phase, 60 Hz |
| CHROMOLOX IMMERSION HEATER | 326377 EMT321E2 | 480V 3 PHASE, 12KW<br>156-147427-108   |
| Baldor                     | CL3513          | 1.5 HP 115/230 Volt AC 3450 RPM 1 Phase Electric Motor   |